

Cabled Girls dress



Translated to English

ONE SIZE

(according to the child's height): 122 - 128 cm

(according to the child's age)
8 - 10 years.

The final length of the coat is
66 cm

Magazine instructions show
crochet edge

Looks like crab stitch

No. 6 Crochet hook


***Notes:**

Decide before starting to knit button holes or Machine sew them afterwards.

Cast on with straight knitting needles
(switch to circular needle when knitting becomes uncomfortable).

Yarn is used double – described as extremely soft yarn
Choose a yarn suitable for 6mm knitting needles

Diagram showing the final measurements of the coat parts



Materials used: 700 grams of yarn

6 mm straight knitting needles

6 mm circular knitting needles

Cable needle

Stitch holder

6 buttons

Abbreviations:

Knit 2 Together (K2tog) is a right slanting decrease.

Slip Slip Knit (SSK) is a left slanting decrease. Slip 2 stitches knitwise and knit together through back loops.

Seed Stitch Band (bead stitch) The number of stitches is even.

Row 1 (RS): (P1,K1).

Row 2 (WS): (K1, P1).

repeat Rows 1 and 2.

Cable (braid stitch)

C3F: "Cable 3 Front" - slip 3 stitches onto cable needle and hold in front of work, knit the next 3 stitches, then knit the 3 stitches from your cable needle.

C3B: "Cable 3 Back" - slip 3 stitches onto cable needle and hold in back of work, knit the next 3 stitches, then knit the 3 stitches from your cable needle.

Instructions:

Back



Cast on **122 stitches** on straight needles

Row A: K9, P4, (K16, P4) 5 times total, K9.

Row B: P9, K4, (P16, K4) 5 times total, P9.

Repeat rows A & B until length measures 26 cm.

Last row knitted is WS (Back of work).

Decreasing to define the Back Bodice:

Row 1 (RS): K5, K2tog, K2, P4, (K2, SSK, K8, K2tog, K2, P4) repeat 5 times, K2, SSK, K5.

Row 2: P8, K4 (P14, K4) 5 times total, P8.

Row 3: K8, P4 (K14, P4) 5 times total, K8.

Row 4: P8, K4 (P14, K4) 5 times total, P8.

Row 5: K4, K2tog, K2, P4, (K2, SSK, K6, K2tog, K2, P4) repeat 5 times, K2, SSK, K4.

Row 6: P7, K4 (P12, K4) 5 times total, P7.

Row 7: K7, P4 (K12, P4) 5 times total, K7.

Row 8: P7, K4 (P12, K4) 5 times total, P7.

Row 9: K3, K2tog, K2, P4, (K2, SSK, K4, K2tog, K2, P4) repeat 5 times, K2, SSK, K3.

Row 10: P6, K4 (P10, K4) repeat 5 times, P6.

Row 13: K2, K2tog, K2, P4, (K2, SSK, K2, K2tog, K2, P4) repeat 5 times, K2, SSK, K2.

Row 14: P5, K4 (P8, K4) repeat 5 times, P5.

Row 15: K5, P4 (K8, P4) repeat 5 times, K5.

Row 16: P5, K4 (P8, K4) repeat 5 times, P5.

Row 17: K1, K2tog, K2, P4, (K2, SSK, K2tog, K2, P4) repeat 5 times, K2, SSK, K1.

* Number of stitches after all the decreases is **62 stitches**.

Row 18: P4, K4 (P6, K4) repeat 5 times, P4.

Row 19: K4, P4 (K6, P4) repeat 5 times, K4.

Row 20: P4, K4 (P6, K4) repeat 5 times, P4.

Back Cable:



Row 1: K4, P4, (C3F, P4) 5 times total, K4.

Row 2: P4, K4, (P6, K4) 5 times total, P4.

Row 3: K4, P4, (K6, P4) 5 times total, K4.

Rows 4 to 8: Repeat Rows 2 & 3.

Row 9: K4, P4, (C3B, P4) 5 times total, K4.

Rows 10 to 16: Repeat Rows 2 & 3.

Repeat until the length measures 48 cm.

Continue Cable pattern while doing **Armhole decreases:**
Cast off the following stitches at the beginning of each row:

3 stitches / once
2 stitches / twice
1 stitch / twice

Continue Cable pattern until length measures 62 cm.

Continue Cable pattern while doing **Back Neckline Decreases:**

Put the centre 16 stitches on a needle holder,
continue each side separately,
following Rows decrease a stitch on each side of the neck / twice

* Each shoulder will have **12 stitches left** when length is 66 cm.
Cast off

Left Front:

Cast on **67 stitches** on straight needles

Row A: 6 Seed stitch, K8, P4, (K16, P4) 2 times total, K9.

Row B: P9, (K4, P16) 2 times total, K4, P8, 6 Seed Stitch.

Repeat A & B until length measures 26 cm,
Last row knitted is WS.

Decreasing to define the Left Front bodice:

Row 1 (RS): 6 Seed stitch, K4, K2tog, K2, P4, (K2, SSK, K8 ,K2tog, K2, P4) 2 times total, K2, SSK, K5.

Row 2: P8, (K4, P14) 2 times total, K4 , P7, 6 Seed stitch.

Row 3: 6 Seed stitch, K7, (P4 , K14) 2 times total, P4, K8.

Row 4: P8, (K4, P14) 2 times total, K4 , P7, 6 Seed stitch.

Row 5: 6 Seed stitch, K3, K2tog, K2, P4, (K2, SSK, K6, K2tog, K2, P4) 2 times total, K2, SSK, K4.

Row 6: P7, (K4, P12) 2 times total, K4 , P6, 6 Seed stitch.

Row 7: 6 Seed stitch, K6, (P4 , K12) 2 times total, P4, K7.

Row 8: P7, (K4, P12) 2 times total, K4 , P6, 6 Seed stitch.

Row 9: 6 Seed stitch, K2, K2tog, K2, P4, (K2, SSK, K4, K2tog, K2, P4) 2 times total, K2, SSK, K3.

Row 10: P6, (K4, P10) 2 times total, K4 , P5, 6 Seed stitch.

Row 11: 6 Seed stitch, K5, (P4 , K10) 2 times total, P4, K7.

Row 12: P6, (K4, P10) 2 times total, K4 , P5, 6 Seed stitch.

Row 13: 6 Seed stitch, K1, K2tog, K2, P4, (K2, SSK, K2, K2tog, K2, P4) 2 times total, K2, SSK, K2.

Row 14: P5, (K4, P8) 2 times total, K4 , P4, 6 Seed stitch.

Row 15: 6 Seed stitch, K5, (P4 , K8) 2 times total, P4, K5.

Row 16: P5, (K4, P8) 2 times total, K4 , P4, 6 Seed stitch.

Row 17: 6 Seed stitch, K2tog, K2, P4, (K2, SSK, K2tog, K2, P4) 2 times total, K2, SSK K1. * Now **37 stitches**

Row 18: P4, (K4, P6) 2 times total, K4, P3, 6 Seed stitch.

Row 19: 6 Seed stitch, K3, (P4 , K6) 2 times total, P4, K4.

Row 20: P4, (K4, P6) 2 times total, K4, P3, 6 Seed stitch.

Left Front Cables:

Row 1: 6 Seed stitch, K3, P4, (C3F, P4) 2 times total, K4.

Row 2: P4, K4, (P6, K4) 2 times total, P3, Seed stitch.

Row 3: Seed stitch, K3, P4, (K6, P4) 2 times total, K4.

Rows 4 to 8: Repeat Rows 2 & 3.

Row 9: Seed stitch, K3, P4, (C3B, P4) 2 times total, K4.

Rows 10 to 16: Repeat Rows 2 & 3.

Continue Cable pattern until length measures 48 cm.

Continue Cable pattern while doing **Armhole decreases:**

Cast off the following stitches at the beginning of Wrong side rows:

3 stitches / once

2 stitches / twice

1 stitch / twice

* The number of stitches will be is **28 stitches**

Continue Cable pattern until length measures 58 cm

Front neckline shaping - neck side:

Cast off the following stitches at the beginning of Right side rows:

10 stitches / once

3 stitches / once

1 Stitch / 3 times

* Shoulder will have **12 stitches left** when length is 66 cm. Cast off

Right Front:

Same as the Left front, but reversed

Cast on **67 stitches** on straight needles

Row A: K9, (P4, K16) 2 times total, P4, K8, 6 Seed stitch.

Row B: 6 Seed stitch, K8, P4, (K16, P4) 2 times total, K9.

Repeat A & B until length measures 26 cm,
Last row knitted is WS.

Decreasing to define the Right Front bodice:

Row 1 (RS): K5, K2tog, K2, P4, (K2, SSK, K8 ,K2tog, K2, P4) 2 times total, K2, SSK, K4, 6 Seed stitch.

Row 2: 6 Seed stitch, P7, (K4 , P14) 2 times total, K4, P8.

Row 3: K8, (P4, K14) 2 times total, P4 , K7, 6 Seed stitch.

Row 4: 6 Seed stitch, P7, (P4 , K14) 2 times total, K4, P8.

Row 5: K4, K2tog, K2, P4, (K2, SSK, K6 ,K2tog, K2, P4) 2 times total, K2, SSK, K3, 6 Seed stitch.

Row 6: 6 Seed stitch, P6, (K4 , P12) 2 times total, K4, P7.

Row 8: K7, (P4, K12) 2 times total, P4 , K6, 6 Seed stitch.

Row 8: 6 Seed stitch, P6, (K4 , P12) 2 times total, K4, P7.

Row 9: K3, K2tog, K2, P4, (K2, SSK, K4 ,K2tog, K2, P4) 2 times total,
K2, SSK, K2, 6 Seed stitch.

Row 10: 6 Seed stitch, P5, (K4 , P10) 2 times total, K4, P6.

Row 11: K6, (P4, K10) 2 times total, P4 , K5, 6 Seed stitch.

Row 12: 6 Seed stitch, P5, (K4 , P10) 2 times total, K4, P6.

Row 13: K2, K2tog, K2, P4, (K2, SSK, K2 ,K2tog, K2, P4) 2 times total,
K2, SSK, K1, 6 Seed stitch.

Row 14: 6 Seed stitch, P4, (K4 , P8) 2 times total, K4, P5.

Row 15: K5, (P4, K8) 2 times total, P4 , K4, 6 Seed stitch.

Row 16: 6 Seed stitch, P4, (K4 , P8) 2 times total, K4, P5.

Row 17: K2, K2tog, K1, P4, (K2, SSK, K2tog, K2, P4) 2 times total, K2,
SSK, 6 Seed stitch. * Now **37 stitches**

Row 18: 6 Seed stitch, P3, (K4 , P6) 2 times total, K4, P4.

Row 19: K4, (P4, K6) 2 times total, P4 , K3, 6 Seed stitch.

Row 20: 6 Seed stitch, P3, (K4 , P6) 2 times total, K4, P4.

Right Front Cables:

Row 1: K4, P4, (C3F, P4) 2 times total, K3, 6 Seed stitch.

Row 2: Seed stitch, P3, K4, (P6, K4) 2 times total, P4.

Row 3: K4, P4, (K6, P4) 2 times total, K3, 6 Seed stitch.

Rows 4 to 8: Repeat Rows 2 & 3.

Row 9: K4, P4, (C3B, P4) 2 times total, K3, 6 Seed stitch.

Rows 10 to 16: Repeat Rows 2 & 3.

Continue Cable pattern until length measures 48 cm.

Continue Cable pattern while doing **Armhole decreases:**

Cast off the following stitches at the beginning of Right Side rows:

3 stitches / once
2 stitches / twice
1 stitch / twice

* The number of stitches will be is **28 stitches**

Continue Cable pattern until length measures 58 cm

Right Front neckline shaping - neck side:

Cast off the following stitches at the beginning of Wrong Side rows:

10 stitches / once
3 stitches / once
1 Stitch / 3 times

* Shoulder will have **12 stitches left** when length is 66 cm. Cast off

Sleeves:

Cast on **58 stitches.**

Row A: K6, P4 (K10, P4) 3 times total, K6.

Row B: P6, K4 (P10, K4) 3 times total, P6.

Repeat rows A & B until length measures 4 cm,

Last row knitted is Wrong Side (Back of work).

Row 1 (RS): K2, K2tog, K2, P4, (K2, SSK, K2, K2tog, K2, P4) 3 times total, K2, SSK, K2.

Row 2: P5, (K4, P8) 3 times total, K4, P5.

Row 3: K5, (P4, K8) 3 times total, P4, K5.

Row 4: P5, (K4, P8) 3 times total, K4, P5.

Row 5: K1, K2tog, K2, P4, (K2, SSK, K2tog, K2, P4) 3 times total, K2, SSK, K1. *Now **42 stitches**.

Row 6: P4, (K4, P6) 2 times total, K4, P4.

Row 7: K4, (P4, K6) 2 times total, P4, K4.

Row 6: P4, (K4, P6) 2 times total, K4, P4.

Sleeve Cable:

Row 1: K4, P4, (C3F, P4) 3 times total, K4.

Row 2: P4, K4, (P6, K4) 3 times total, P4

Row 3: K4, P4, (K6, P4) 3 times total, K4.

Rows 4 to 8: Repeat Rows 2 & 3.

Row 9: K4, P4, (C3B, P4) repeat 5 times, K4.

Rows 10 to 16: Repeat Rows 2 & 3.

Continue Cable pattern until length measures 39cm.

Shape Sleeve Top

Cast off the following stitches at the beginning of each row:
3 stitches / once,

2 stitches / twice,
1 stitch / twice,
then every 4 rows 2 stitches / 4 times,
6 stitches / once.

The Collar: Neck Band

Sew the shoulders together.

Pick up **54 stitches** around the neck Edge.
Work Seed stitch for 3.5 or 4cm, then Cast off.

Finishing

Sew the sideseams together.

Sew the sleeves seams together and we will install them in the
sleeve openings

Note: If you didn't make button holes - Machine sew 6 buttonholes
and sew on buttons in their place.

Otherwise, Sew Buttons in their place.

Crochet Crab stitch on all edges. (Sleeve Cuffs, Bottom, Centre
fronts and neck edges)

Chart for Body Decreases






Chart for Sleeve Decreases



Cable Chart





Original Pattern





3. ПАЛЬТО Алиса **

ВАМ ПОТРЕБУЕТСЯ:

700 г пряжи Чародейка (70 % альпака «Бобик», 30 % акрил, 100 г х 300 м, цвет 0796 песочный); 6 пуговиц: siehe № 6.

ВЫПОЛНЕНИЕ

Основой для расчета вязания служит выкройка изделия (рис. 3) и образец, связаный узором по схеме 3. При расчете следует учесть растяжение полотна в длину в процессе носки. Лучше связать изделие немного больше по ширине и меньше по длине, чем задумано, так как под действием собственного веса полотно растянется, уменьшится по ширине и вынется в длину.

Описание дано при плотности образца, выполненного прямой в два сложения узором по схемам 3 и 3 а, спицами № 6. 1 раппорт сначала из 20 п. = 13 см, на уровне талии раппорт из 10 п. = 5 см. Наберите для спинки 122 п. (6 раппортов + 2 кромочные) и вяжите, распределяя узоры следующим образом: 1 кромочная, 8 лиц., 4 изн., *16 лиц., 4 изн.* повторить еще 4 раза, 8 лиц., 4 изн., 1 кромочная. Вяжите прямо 26 см, затем начните делать убавки, как показано на схеме 3. От талии вяжите узором с «косами» (схема 3 а), делая прибавки для боковых скосов 3 раза по 1



Размер 122-128 (ОГ-62-64, ОБ-67-69)

Модель выполнена спицами.




схема 3а, 3б

В четных рядах вяжите петли по рисунку




схема 3



— перекрестить петли направо



— перекрестить петли влево

наберите на вспомогательную спицу петли, подчеркнутые снизу, перенесите их по лицу направо и провяжите по рисунку

наберите на вспомогательную спицу петли, подчеркнутые сверху, перенесите их по лицу влево и провяжите по рисунку



лиц. с двух сторон в каждом 6-м ряду. Через 11 см от линии талии начните формировать проймы, закрыв по 3 п. с каждой стороны, далее в каждом 2-м ряду 1 раз по 2 п. и три раза по 1-й п. Через 14 см от начала проймы начните формировать вырез горловины, закрыв средние 20 п., затем 1 раз по 2 п. с каждой стороны горловины. Одновременно делайте скос плеча в два приема методом частичного вязания. Петли закройте. Для **левой полочки** наберите 67 петель (3 раппорта + 2 «кромочные» + 5 п. для планки) и вяжите, распределяя узоры следующим образом: 1 кромочная, 8 лиц., 4 изн., *16 лиц., 4 изн.* повторить еще 1 раз, 8 лиц., 5 узора «жемчуг» 1 кромочная. Узор «жемчуг»: 1-й ряд: 1 кромочная *1 лиц., 1 изн.* 1 кромочная, 2-й ряд: 1 кромочная, *1 изн., 1 лиц., 1 кромочная. Вяжите прямо 26 см, затем начните делать убавки, как показано на схеме 3. От талии вяжите узором с «косами» (схема 3 а), делая прибавки для бокового скоса 3 раза по 1 лиц. п. в каждом 6-м ряду. Через 11 см от линии талии начните формирование проймы, закрыв 3 п., далее в каждом 2-м ряду 1 раз 2 п. и три раза по 1-й п. Через 21 см от талии начните формировать вырез горловины, закрыв 10 п., затем, в каждом 2-м ряду по 1 разу: 3 п., 2 п.; 3 раза по 1 п. Через 14 см от начала проймы делайте скос плеча в два приема методом частичного вязания. Правую полочку вяжите в зеркальном отражении. Не забудьте на правой планке сделать отверстие для пуговиц. Величина отверстия зависит от размера выбранных пуговиц. Для рукава наберите 58 п. и вяжите, распределяя узоры следующим образом: 1 кромочная, 5 лиц., 4 изн., *10 лиц., 4 изн.* повторить еще 2 раза, 5 лиц., 4 изн., 1 кромочная. Вяжите, делая убавки, как показано на схеме 3 б. Продолжите работу по схеме 3 а, делая прибавки по бокам 3 раза по 1-й п. с каждой стороны в каждом 18 ряду. На высоте 39 см от нижнего края начните формировать пройму и окат, закрыв по 3 п. с каждой стороны, далее в каждом 2-м ряду: 2 раза по 2 п., 6 раз по 1 п., 2 раза по 2 п., затем закройте оставшиеся петли. Соедините детали по бокам, втачайте рукава в проймы.

Для воротника проложите по краю горловины тесьменный шов, далее, захватывая нижние петли шва, наберите 64 п. на спицы и вяжите жемчужным узором. Для формирования контура воротника, делайте убавления в каждом втором ряду, провязывая вместе 2 раза по 2 петли в области плечевых стыков перед и спинки. Через 3,5-4 см петли закройте. Обвяжите ворот 1 рядом СБН, закончите работу обвязкой «рыбий шаг». Петли обвяжите СБН. Пришейте пуговицы.